



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

bia and Mexico. Nevertheless, all 15 were carefully examined and found to be in good health.

Since sending in the first report I find that 9 were for points in the United States, instead of 5, as was then reported. Of the 15, 4 were for Astoria, Oreg.; 3 for Portland, Oreg.; 2 for Dan Diego, Cal.; 2 for Vancouver, British Columbia, and 4 for Mapomi, Mexico.

Respectfully,

BAYLIS H. EARLE,  
*Assistant Surgeon, U. S. M. H. S.*

*Statistical reports of States and cities of the United States—Yearly and monthly.*

CONNECTICUT—*Bridgeport*.—Month of November, 1901. Estimated population, 71,000. Total number of deaths, 101, including enteric fever, 2; scarlet fever, 3; whooping cough, 1, and 15 from tuberculosis.

*New Haven*.—Month of September, 1901. Estimated population, 108,000. Total number of deaths, 156, including diphtheria, 3; enteric fever, 4; whooping cough, 7, and 16 from phthisis pulmonalis.

Month of October, 1901. Total number of deaths, 134, including diphtheria, 3; enteric fever, 7; whooping cough, 2, and 13 from phthisis pulmonalis.

Month of November, 1901. Total number of deaths, 148, including diphtheria, 4; enteric fever, 5; whooping cough, 3, and 22 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended December 21, 1901, from 55 observers indicate that inflammation of bowels and erysipelas were more prevalent and diarrhea, intermittent fever, remittent fever, inflammation of kidney, pleuritis, pneumonia, and tonsillitis were less prevalent than in the preceding week. Cerebro-spinal meningitis was reported present at 3, whooping cough at 15, measles at 22, diphtheria at 39, enteric fever at 59, small-pox at 72, scarlet fever at 97, and phthisis pulmonalis at 197 places.

The Monthly Bulletin of Vital Statistics says:

There were 2,454 deaths returned for the month of November, corresponding to a death rate of 12.5 per 1,000 population. This number is 94 less than the number returned for the preceding month and 7 less than the number of deaths recorded for November, 1900.

This total includes 30 deaths that resulted from the explosion in the Penberthy Injector Works of Detroit, and does not include but 6 of the deaths (variously estimated from 22 to 75 and upward) that occurred at the collision on the Wabash railroad near Seneca on November 27. Most of the deaths that occurred there were those of recent immigrants, Italians and Austrians passing through this State from the east to various localities in the west, and, as they were not actually a part of the population of Michigan, the omission of the mortality from this source will not seriously affect the death rate for the month, as compared with preceding months of registration.

It is necessary and desirable, of course, that all these deaths should be finally recorded as far as possible, and steps have been taken to accomplish this object.

Of the total number of deaths returned to the department, 346 were infants under 1 year of age, 177 were children aged 1 to 4 years, both inclusive, and 659 were deaths of persons aged 65 years and over.

Important causes of death were as follows: Pulmonary tuberculosis, 137; other forms of tuberculosis, 29; typhoid fever, 79; diphtheria and croup, 59; scarlet fever, 27; measles, 6; whooping cough, 8; pneumonia, 206; diarrheal diseases of children under 2 years of age, 42; influenza, 11; cancer, 127; accidents and violence (including only 6 deaths at Wabash wreck), 194.

There were 2 deaths from smallpox (1 in Delta County and 1 in Wexford County), and 2 deaths said to have occurred from anthrax or malignant pustule—1 in Antrim County and 1 in Ionia County.

MASSACHUSETTS—*Worcester*.—Month of November, 1901. Census population, 118,421. Total number of deaths, 145, including diphtheria, 1; enteric fever, 4, and 14 from phthisis pulmonalis.

MISSOURI—*St. Louis*.—Month of October, 1901. Estimated population, 598,000. Total number of deaths, 787, including diphtheria, 20; enteric fever, 32; scarlet fever, 13; smallpox, 1; whooping cough, 5, and 125 from tuberculosis.

NEW HAMPSHIRE—*Franklin*.—Month of November, 1901. Estimated population, 5,843. Total number of deaths, 5, including diphtheria, 1, and 1 from tuberculosis.

NEW YORK—*Rochester*.—Month of November, 1901. Census population, 162,608. Total number of deaths, 192, including diphtheria, 3; enteric fever, 6; scarlet fever, 1; whooping cough, 1, and 25 from phthisis pulmonalis.

WASHINGTON—*Seattle*.—Month of November, 1901. Estimated population, 110,000. Total number of deaths, 68, including enteric fever, 2; scarlet fever, 1, and 2 from tuberculosis.

*Report of immigration at Baltimore for the week ended December 21, 1901.*

OFFICE OF U. S. COMMISSIONER OF IMMIGRATION,  
*Port of Baltimore, December 21, 1901.*

December 21, steamship *Hannover*, from Bremen, with 637 immigrants.

PERCY C. HENNIGHAUSEN,  
*Commissioner.*